

Volume 4, Issue 8, 2724-2732.

Review Article

ISSN 2277-7105

A REVIEW ON *GYMNEMA SYLVESTRE* A MAJOR ANTIDIABETIC ASCLEPIADACEAE HERB

Jyothi Chaitanya Pagadala^{1*}, Dhatri Madduru¹, Aparna Satya Deepthi Tadepalli²

¹Department of Microbiology, Government Degree College for Women, Begumpet, Hyd-16.
 ¹Department of Biotechnology, Government Degree College for Women, Begumpet, Hyd-16.
 ²Freelance Writer and Translator, Indian Science Communication Society, Lucknow-22.

Article Received on 20 June 2015,

Revised on 11 July 2015, Accepted on 02 Aug 2015

*Correspondence for Author Jyothi Chaitanya Pagadala Department of Microbiology, Government Degree College for Women, Begumpet, Hyd-16.

ABSTRACT

Gymnema sylvestre (Family- Asclepiadaceae), popularly known as gurmar or Madhunashini. It is one of the most important medicinal plant in India. It is a slow growing, perennial, medicinal woody climber grows in Deccan Peninsula and widely distributed in Asia, tropical Africa, Malaysia and Srilanka. It is well known for the treatment of diabetes for over 2000 years in Indian Ayurvedic system of medicine. The major chemical component of *Gymnema sylvestre* is gymnemic acids which has antidiabetic, anti sweetener and antiinflammatory activities. Traditionally *Gymnema* is used for treatment of glycosuria and urinary disorders. The leaves are also used as diuretic. *Gymnema* is propagated through seeds and stem Cuttings for commercial cultivation in India. In *Gymnema*, many genetic variation studies were done. It is also used in the treatment of asthma, eye

complaints, inflammations, family planning and snakebite. In addition to this it possesses antimicrobial, antihypercholesterolemic, hepatoprotective and sweet suppressing activities. It also acts as feeding deterrents to caterpillar, *Prodenia eridania*, prevent dental caries caused by *Streptococcus mutans* and used in skin cosmetics. Recent reports suggest that Gymnemic acid formulations have been found useful against obesity. It also has anti cancer activity which was tested using biofunctionalized Silver and gold nanoparticles derived from aqueous leaf extracts of *G. sylvestre*.

KEY WORDS: *Gymnema sylvestre*, antidiabetic, leaves, antimicrobial, silver and gold nano particles.

INTRODUCTION

Gymnema sylvestre (*G. sylvestre*) R. Br. is native to central and western India, tropical Africa and Australia. Vernacular names to *G. sylvestre* are Meshashringi, madhunashini (Sanskrit), Gur mar (Hindi), merasingi (Marathi), Kavali, kalikardori, vakundi, (Gujrathi), Dhuleti, mardashingi, Podapatri (Telugu), Adigam, cherukurinja (Tamil) Sannagerasehambu(Kannada:). *Keshava murthy and Yoga narasimhan* (1992) reported that the word "Gymnema" is derived from a Hindu word "Gurmar" meaning "destroyer of sugar" and it is believed that it may neutralize the excess of sugar present in the body in Diabetes mellitus. *G. sylvestre* (Asclepiadaceae), is a slow growing, perennial, medicinal woody climber found in central and peninsular India.



Taxonomical Classification

Kingdom	Plantae
Sub-kingdom	Tracheobionta
Super division	Spermatophyta
Division	Magnoliophyta
Class	Magnoliopsida
Subclass	Asteridae
Order	Gentianales
Family	Asclepiadaceae
Genus	Gymnema R. Br.
Species	Sylvestre

Fig 1: Gymnema sylvestre

Table 1: Taxonomy of Gymnema sylvestre

It is a potent antidiabetic plant and used in folk, ayurvedic and homeopathic systems of medicine. *G. sylvestre* is a large, more or less pubescent, woodyclimber. It is occasionally cultivated as medicinal plant. The Leaves are opposite, usually elliptic or ovate $(1.25-2.0 \text{ inch}\times0.5-1.25 \text{ inch})$. The plant description of *G.Sylvestre* is that its flowers are small, yellow, located in axillary and lateral umbel in cymes and its follicles are terete and lanceolate upto 3 inches in length. The Calyx-lobes are long, ovate, obtuse and pubescent. Its Corolla is pale yellow campanulate, valvate, corona single, with 5 fleshy scales. Scales of *G.sylvestre* are adnate to throat of corolla tube between lobes and Anther connective produced into a memberanous tip, pollinia 2, erect, carpels 2,unilocular; locules many ovuled (Gurav *et al.*, 2007 and Potawale *et al.*, 2008).

Geography: *Gymnema sylvestre* R. Br. commonly known as gurmar belongs to the family Asclepiadaceae. It is a woody, climbing herb grown in India, China, Indonesia, Japan, Malaysia, Srilanka, Vietnam and South Africa (Hill, 1952).

Uses: It is used in the treatment of asthma, eye complaints, inflammations, family planning and snakebite. In addition to this it possesses antimicrobial, antihypercholesterolemic, hepatoprotective and sweet suppressing activities. It also acts as feeding deterrents to caterpillar, *Prodenia eridania* and prevents dental caries caused by *Streptococcus mutans* and used in skin cosmetics *Komalavelli and Rao* 2000.

Phytochemicals in Gymnema Sylvestre

The medicinal value of Gymnema sylvestre lies in its bioactive phytochemical constituents that produce definite physiological actions on human body as described by Akinmoladun et al., 2007. The leaves of G. sylvestre contain triterpene, saponing belong to oleanane and dammarane classes. The major constituents belong to oleanane type of saponins are gymnemic acids and gymnemasaponins, while gymnemasides are dammarane saponins. Other phytochemicals in Gymnema include anthraquinones, flavones, hentriacontane, pentatriacontane, phytin, resins, tartaric acid, formic acid, butyric acid, lupeol, β-amyrin related glycosides, stigmasterol, and calcium oxalate. The presence of alkaloids, acidic glycosides, anthraquinones and their derivatives had been detected in the leaves of G. sylvestre. The major secondary metabolites in Gymnema are gymnemic acid A-D and are found in all parts of the plant. A group of nine closely related acidic glycosides also constitutes plant's secondary metabolites (Tiwari et al., 2014). Bhuvaneswari et al., 2012 studied antimicrobial activities of phytochemicals present in extracts of Gymnema sylvestre. They analyzed Gymnema sylvestre aerial and root extracts in chloroform and revealed the presence of 11 compounds (aerial) and 24 compounds (root). Among the compounds they identified, eicosane, Oleic acid and Stigmasterol are important. Leaves contain lupeol, β amyrin, stigmasterol, pentriacontane, hentricontane, α and β chlorophyll, resin, tartaric acid, gymnemic acid (anti sweet compounds) the mixture of triterpene saponins, anthraquinone derivatives, alkaloids, betaine choline and trimethylamine (Karadeniz et al., 2005). Antisweet constituent of the leaves has been found to be a mixture of triterpene saponins. The sugar residues are glucuronic acid and galacturonic acid while ferulic and angelic acids have been attached as the carboxylic acid. Chewing of leaves reduces sensitivity to sweet substances(Kokate et al., 2006). The active principles which have been identified as glycosides (7 gymnemic acids) suggest that the topical and selective anaesthetic effect of the plant might result from the competition of the receptor sites between glycosides and the sweet substances(Kumaran and Karunakaran, 2007) Gopinath et al., 2012 conducted studies on Gymnema sylvestre and identified that its extracts are rich in alkaloids, flavonoids and Saponins. Tiwari et al., 2011, reported that ethanolic leaf extract of *Gymnema sylvestre* shows the highest scavenging activity than methanol. Methanol and ethanol has been proven as effective solvent to extract phenolic compounds.Ethanol has showed the best effectiveness in extracting phenolic components. Ethanol is preferred for the extraction of antioxidant compounds mainly because of its lowers toxicity. Kalyani Singh et al., 2014 concluded that G.sylvestre extracts are rich in alkaloids, tannins, saponins, phenols, glycosides, flavonoids etc and can be used as antioxidant. They also evaluated in vitro antioxidant activity and preliminary phytochemical analysis of Gymnema sylvestre R.Br and reported that the ethanolic extract of Gymnema sylvestre R.Br. showed antioxidant activity by inhibiting DPPH. Significant antioxidant activity of ethanolic leaf extract of Gymnema Sylvestre R.Br. might be due to the presence of tannins, saponins, phenols, flavonoids and alkaloids found in the preliminary phytochemical analysis.

Antimicrobial activity

Sanker narayan sinha et al., 2010 described the ethno medicinal claim of Gymnema sylvestre leaf possessing antibacterial activity that could be a better alternative for synthetic antibacterial agents, the antibacterial property of Gymnema sylvestre leaf was tested against three Gram positive (Bacillus subtilis, Staphylococcus aureus and Micrococcus luteus) and five Gram negative (Escherichia coli, Vibrio cholerae, Pseudomonas aeruginosa, Shigella dysenteriae and Shigella flexneri)bacteria by using different solvents namely petroleum ether, chloroform and ethanol. The susceptibility of Gram-positive bacteria towards various plant extracts than those of Gram-negative bacteria was also reported earlier by Sinha and Biswas 2010. Bhuvaneswari et al., 2011 tested the anti-microbial activities of the phytochemicals from G.sylvestre and identified that the extracts effectively inhibited the growth of all the gram-negative bacteria including P. aeruginosa (Bhuvaneswari et al., 2011). Similar studies were done by Murugan et al., 2012 and detected antibacterial activity of Petroleum ether extract of G. sylvestre leaf against S. aureus, B. subtilis, P.aeruginosa and S. typhi. Aqueous and methanolic leaf extracts were studied against Escherichia coli, Serratia marcescens, Staphylococcus aureus and Candida

albicans for their antimicrobial efficacy by *Minal Wani et al.*, and they confirmed antimicrobial and anti-fungal activities of *G.sylvestre* (Minal Wani *et al.*, 2012).

Anti-diabetic activity

Gymnema sylvestre is one of the most important medicinal plants used in India for the treatment of diabetes. Gymnemic acid is an active compound extracted from this plant which has anti-diabetic property. Lot of research has been done on this anti-diabetic property of this plant all over the world. Shanmugasundaram *et al.*,(1983) studied anti-diabetic activity of Gymnema on alloxan diabetic rabbits. They showed that the dried leaf powder of Gymnema regulated blood sugar level and maintained its homeostasis. It also regulated the levels of phosphorylase, gluconeogenic enzymes and sorbitol dehydrogenase. Similar studies were done by *Baskaran et al.*, (1990) on non-insulin dependent diabetes mellitus patients. Their experimental data suggested that the beta cells of pancreas may be regenerated or repaired in Type 2 diabetic patients on supplementation of Gymnema leaf extracts. Raised insulin levels were observed in the serum of patients after supplementation (*Baskaran et al.*, *1990*). Many such studies confirmed the role of Gymnema leaf extracts in the treatment of Diabetes (*Okabayashi et al.*, *1990;Grover et al.*, *2002; Prabhakar et al.*, *2011*).

Anti obesity: Vinay kumar et al., (2012) conducted experiments on obese mice fed with high fat diet (HFD) and concluded that *G. sylvestre* extract has anti-obesity properties and act via suppression of levels of leptin, insulin, dyslipidemia, apolipoproteins, lipids, visceral fat pad weights, and oxidative stress. It also prevents myocardial apoptosis and can be used as potential antiobesity drug in near future. *Manish et al.*, (2011) evaluated the anti-obesity activity of hexane extract of leaves of *G.sylvestre in* Sprague dawley rats and concluded lipid lowering activities of flavonoids and saponins present in extracts of *G.sylvestre*.

Anti inflammatory: Gupta *et al.*, (2010) evaluated the anti-inflammatory activity of *G.sylvestre* plant extract. They concluded that the presence of Tannins in the leaves of G.*sylvestre* possess anti-inflammatory and immunomodulatory properties.

Micropropagation

Various In vitro studies like micropropagation and callus induction have been done for enhanced production of phytochemicals in *G.sylvestre*. Manonmani and Francisca (2012) described that the Growth and proliferation of multiple shoots in Gymnema sylvestre R.Br. can be stimulated easily by using in vitro techniques. Multiple shoot formation by rapid

clonal propagation has done to overcome problems in conventional methods of propagation. They also reported that nodal explants of *Gymnema sylvestre* were used for in vitro multiplication on a medium containing various concentrations of growth regulators such as BA and NAA. Among the combinations used, MS medium fortified with BA at 1.0 mg/l was found to be suitable for induction of multiple shoots. The shoots were observed within 1 week of inoculation. The regenerated shoots were transferred to rooting media supplemented with different concentrations of NAA. The highest percentage of rooting was observed with NAA at 1.0 mg/l.

Green synthesis of Nanoparticles

In recent years metal nanoparticles have been shown to have potential applications in the field of Medicine and Pharmacy. Various researchers studied the use of plant extracts in the synthesis of these metal nanoparticles, as plant extracts are eco-friendly, stable and have faster rate of synthesis (*Siavash Iravani 2011*). *Arunachalam et al.*, (2014) biofunctionalized the gold nanoparticles from *G.Sylvestre* to increase the medicinal properties of bioactive compounds and suggested that it can be used as anti-cancer drug. In addition these gold nanoparticles from extracts of Gymnema are stable, non-toxic and economic.

Future Prospects

The increased demand is causing a great strain on the natural populations of *G.Sylvestre*. *G.Sylvestre* has proved its ability to cure diabetes so it is called Madhunashini and also fight against different types of diseases. Collectors of medicinal plants are resorting to unsustainable exploitation causing serious threat to the survival of the species. Cultivation in a substantially high scale is yet to be started. Therefore, there is a need to conserve the species for the benefit of mankind. More importantly, critical elements of effective conservation strategies need to be discussed.

REFERENCES

- Keshwamurthy, K.R., Yoganarasimhan. Flora of coorg-Karnataka, Vimsat Publishers, Banglore., 1992; 282.
- Gurav S, Gulkari V, Durgkar N, Patil A. Systematic review: Pharmacognosy ,Phytochemistry and clinical application of Gymnema sylvestre R.Br. Pharmacog rev, 2007; 1(2): 338-343.
- 3. Potawale, E, Shinde VM, Anandi L, Borade S, Dhalawat H, Deshmukh R S . Gymnema sylvestre : A Comprehensive Review. Pharmacology online, 2008; 2: 144-157.

- Hill AF. . Economic Botany: A textbook of useful plants and plant products. Edn 2, McGarw-Hill Book Company Inc, New York., 1952.
- N.Komalavalli, M. V. Rao. In Vitro micropropagation of Gymnema sylvestre A multipurpose medicinal plant. Plant Cell, Tissue& Organ Culture, 2000; 61: 97-105
- Akinmoladun A C, Abukun E O, Afor E, Akinrinlola B L, Onibon T R, Akinboboye O, Obuotor E M, Farombi E O. Chemical constituents and antioxidant activity of Alstonia boonei. African Journal of Biotechnology, 2007; 6: 1197-1201.
- Pragya Tiwari, B. N. Mishra, Neelam S. Sangwan. Phytochemical and Pharmacological Properties of Gymnema sylvestre: An Important Medicinal Plant. BioMed Research International, 2014; 2014.
- Bhuvaneswari Chodisetti, Kiranmayee Rao, Archana Giri.Phytochemical analysis of Gymnema sylvestre and evaluation of its antimicrobial activity.SHORT COMMUNICATION Natural Product Research, 2012; 1–5.
- Karadeniz F, Burdurulu HS, Koca N, Soyer Y. Antioxidant activity of selected fruits and vegetables grown in Turkey. Journal of Agriculture and Food Chemistry., 2005; (29): 297-303.
- 10. Kokate C K, Purohit A P, Gokhale S B. Pharmacognosy. Edn 36, Nirali Prakashan, Pune., 2006; 252.
- Kumaran A, Karunakaran JR. In-vitro antioxidant activities of methanol extracts of five Phyllanthus species from India, LWT-Food Science and Technology, 2007; 40(2): 344-352.
- 12. S. M. Gopinath, C. K. Rakesh, T. P. Narasimha Murthy, K. S. Dayananda. Preliminary phytochemical evaluation of leaf extracts of Gymnema sylvestre, Phyllanthus amarus, Phyllanthus reticulatus of Siddarabetta, Tumkur district, Karnataka. International Journal of Pharmacognosy and Phytochemical Research, 2012; 4(3): 109-111.
- 13. Tiwari P, Kumar B, Kaur M, Kaur G, Kaur H. Phytochemical Screening and Extraction: A review. International Pharmaceutica Sciencia, 2011; 1(1): 98-106.
- Kalyani Singh, Bandita Deo .Phytochemical evaluation and in vitro antioxidant activity of Gymnema sylvestre R.Br . Journal of Medicinal plants studies, 2014; 2(4): 19-23.
- 15. Sankar Narayan Sinha, Goutam Chandra Saha, Mrinal Biswas. "Screening of Various Solvent Extracts of *Gymnema sylvestre* R.Br. Leaf for Antibacterial Activity. Advances In Bioresearch, 2010; 1(2): 25 -28.
- S.N Sinha , Biswas.M. Antimicrobial activity of Spilanthes acmella Murr.root Extract. Journal of Interacademicia, 2010; 14(3).

- K.R. Shanmugasundarama, C. Panneerselvama, P. Samudramb, E.R.B.
 Shanmugasundaram. Enzyme changes and glucose utilisation in diabetic rabbits: the effect of *Gymnema sylvestre*, R.Br. Journal of Ethnopharmacology, 1983; 7(2): 205–234.
- 18. Baskaran K, Kizar Ahamath B, Radha Shanmugasundaram K, Shanmugasundaram ER. Antidiabetic effects of a leaf extract from Gymnema sylvestre in non-insulin-dependent diabetes mellitus patients. J Ethnopharmacol, 1990; 30(3): 295-300.
- Yoshinori Okabayashi, Satoshi Tani, Takashi Fujisawa, Makoto Koide, Hiroshi Hasegawa, Takahiko Nakamura, Masatoshi Fujii, Makoto Otsuki. Effect of Gymnema sylvestre, R.Br. on glucose homeostasis in rats. Diabetes Research and Clinical practice, 1990; 9(2): 143–148.
- 20. J. K. Grover, S. Yadav, and V. Vats. Medicinal plants of India with anti-diabetic potential. Journal of Ethnopharmacology, 2002; 81(1): 81–100.
- Prabhakar PK, Doble M.Mechanism of action of natural products used in the treatment of diabetes mellitus. Chin J Integr Med, 2011; 17(8): 563-74.
- 22. Vinay Kumar, Uma Bhandari, Chakra Dhar Tripathi, Geetika Khanna. Evaluation of antiobesity and cardioprotective effect of Gymnema sylvestre extract in murine model. Indian Journal of Pharmacology, 2012; 44(5): 607-613.
- 23. Kaushik Manish, Kaushik Aditi, Arya Renu, Singh Gajraj and Malik Poonam. Anti-Obesity property of Hexane extract from the leaves of Gymnema sylvestre in high fed cafeteria diet induced obesity rats. International Research Journal of Pharmacy, 2011; 2(8): 12-116.
- 24. S Gupta, S Pramanik, O Tiwari, N Thacker, M Pande, N Upmanyu. Immunomodulatory activity of *Gymnema sylvestre* leaves. Internet Journal of Pharmacology, 2010; 8(2): 1531–2976.
- 25. Bhuvaneswari Chodisetti, Kiranmayee Rao, Archana Giri. Evaluation of Gymnema sylvestre Antimicrobial Activity in Methanol. Recent Research in Science and Technology, 2011; 3(8): 73-75.
- 26. Murugan M, Mohan V. R and Thamodharan V. Phytochemical screening and antibacterial activity of Gymnema sylvestre (Retz) R . Br ex. Schultes and Morinda pubescens J.E. Smith var. pubescens.Journal of Applied Pharmaceutical Science, 2012; 02(02): 73-76.
- 27. Minal Wani, Faizan Ali Sarvar, Juhi Agrawal, Jyoti Deshpande, Siji Mathew, Madhukar Khetmalas. Qualitative phytochemical analysis and antimicrobial activity studies of

Gymnema sylvestre R. Br.Short Communication, Acta Biologica Indica, 2012; 1(1): 121-124.

- Manonmani R, Francisca P. In Vitro multiplication Of *Gymnema Sylvestre* R. Br. Through Nodal Explants. International Journal of Pharma and Bio Sciences, 2012; 3(2): 49-53.
- 29. Siavash Iravani.Green synthesis of metal nanoparticles using plants.Green Chem., 2011;13: 2638-2650.
- 30. Kantha D. Arunachalam, Lilly Baptista Arun, Sathesh Kumar Annamalai, Aarrthy M.Arunachalam. Biofunctionalized Gold Nanoparticles Synthesis From Gymnema Sylvestre And Its Preliminary Anticancer Activity.International Journal of Pharmacy and Pharmaceutical Sciences, 2014; 6(4).